

Apollo Creation of a New Web Site Guide

Table des matières

Web Site Creation	2
STEP 1 : Web Site Creation	2
STEP 2 : Configuration	
STEP 3 : Appearence	4
STEP 4 : Features	5
STEP 5 : Technical	11
STEP 6 : Published	
Taxonomy Creation	
LTR - Offer services	
LTR - Offer Services Pack	
Taxonomy witch are automaticaly created	15
Others taxonomies to set to configure an offer	
Others taxonomies to create corporate content	15



Web Site Creation STEP 1 : Web Site Creation

1. GO to « Content >> Sites »



2. Click on « Add Site »



3. Insert Name

Name	
Characters: 20	
Apollo Test Sprint	3



STEP 2 : Configuration

1. Go to « Global »



2. Set Language and Title

Site title
♣ Site title
Language
English 🔻
The language this paragraph will be display
Title *
Apollo Test Sprint 3

3. Define Type of site, customer, targer and type of offer

Type of site
Country 🔻
Type of customer
Prospect 🔻
User target
Arval for Employee
Partners/brokers
Candidate
Prospect
Driver
Fleet manager
Re-marketing
Interested in mobility learning
All
Other
Product list
LTR
MTR
STR
Arval for Employee
All
Other



STEP 3 : Appearence

1. Go to « Appearence »



2. Choose Theme

Theme *		
Arval	•	
The selected then	ne for this s	ite

3. Add Baseline and logo in « Entête »

Entete	Footer	Whitelabel theme
Base	line	
We	care about	cars. We care about you.**
Ιοσο		
Logo		
Pa	rcourir	Aucun fichier sélectionné.
One	file only.	
One f 32 M	file only. B limit.	

Add Baseline in Footer too in the Bottom section (Don't forget to select language of the website to display the baseline)

Global	Theme *	
Apparence	Arval The selected theme for this site	
Features	Entête * Footer * Whitelabel theme	
Technical	Display home footer URL	
	HOME FOOTER URL	

Text	
Lang	11300
Eng	
The l	anguage this paragraph will be displayed for, leave empty not to filt
Text	*
P	

STEP 4 : Features

ARVAL BNP PARIBAS GROUP

1. Go to « Features »



2. Go to « Offer tool Microsite »



3. Set the Izmocar Country code to allow the connection with Izmo Librairy

Is microsite	
Izmocar Country Code	
NL	

4. Set the units settings

¥	DISPLAY UNITS SETTINGS
Pr	ice Label
Pr	ice prefix
Pr	ice suffix
€	8
D	uration Label
r	nonths
Di	stance per year Label
k	xm/year
С	onsumption Label
ι	/100km
H	orse Power Label
0	CH
Fi	scal Power Label
(CV
С	02 Emissions Label
8	g CO²/km

ARVAL BNP PARIBAS GROUP

T

Boot or Tank Capacity Label
L
Engine Size Label
сс
Electric Power
Electric Time of charge
Electric Range (WLTP*) Label
Doors label
doors
Number of seats label
seats
Label for down payment
£



5. Go to « Offer tool Apollo »



6. Set language

▼ GÉNÉRAL *
Value Proposition
Language
English 🔻
The language this paragraph will be

7. Set the transversal paragraphe « Why Arval ?»





b. Picto + Title + Description (x4)

alue proposition list * item Value Proposition icon * car-mechanic Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomplet ADDITIONAL FONT AWESOME SETTINGS title * You have different services included Text format Filtered HTML Allowed HTML tags: <cite> <blockquote cite> <code> title * Allowed HTML tags: <cite> <blockquote cite> <code> title * Allowed HTML tags: title * allowed HTML tags: strong> <cite> <cite> <code> strong> <cite> <code> strong</code></cite></code></cite></code></cite></code></cite></code></cite></code></cite></code></cite></code></cite></code></cite></code></cite></code></cite></code></cite></cite></code></cite></cite></code></cite></cite></code></cite></cite>	alue proposition list * Item Value Proposition icon * car-mechanic Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomple ADDITIONAL FONT AWESOME SETTINGS
Item Value Proposition icon * Car-mechanic Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomplete ADDITIONAL FONT AWESOME SETTINGS title * You have different services included Text format Filtered HTML Allowed HTML tags:: a href hreflang title target class="> cem> <strongs -="" ccite=""> <blockquote cite=""> <code> volumed to the fold (at a - align="center"), but also videos, blockquotes, and so on. description * B I U S x^a I I</code></blockquote></strongs>	Item Value Proposition icon * car-mechanic Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomple ADDITIONAL FONT AWESOME SETTINGS
icon * Car-mechanic Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomplete ADDITIONAL FONT AWESOME SETTINGS tide * You have different services included Text format Filtered HTML • Allowed HTML tags: ca href hreflang tile target class="> <cite> <bookquote cite=""> <code> <ul type=""> < Allowed HTML tags: ca href hreflang tile target class="> <cite> <bookquote cite=""> <code> <ul type=""> < </code></bookquote></cite> Allowed HTML tags: ca href hreflang tile target class="> <cite> <bookquote class="> <stole class="> <stole class="> <stole class="> <stole class="> <stole media type> </to> • Allowed HTML tags: ca href hreflang tile target class="> <cite> <bookquote class="> <stole class="> <stole class="> <stole class</th><th>icon * car-mechanic O Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomple > ADDITIONAL FONT AWESOME SETTINGS</th></tr><tr><th>car-mechanic ○ Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomplete • ADDITIONAL FONT AWESOME SETTINGS tide * You have different services included Text format Filtered HTML • • Allowed HTML tags: <a href hreflang tile target class="> <cite> <b cite=""> <b cite=""> <code> Allowed HTML tags: <cite> <b/cite> <b/li> Allowed HTML tags: <a href hreflang tile target class=" href="" hreflang="" target="" tile=""> <cite> <b cite=""> <b li=""> </cite></code></cite></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></stole></bookquote></cite></stole></stole></bookquote></cite></code></bookquote></cite>	car-mechanic Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomple ADDITIONAL FONT AWESOME SETTINGS
Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomplete ADDITIONAL FONT AWESOME SETTINGS title * You have different services included Text format Filtered HTML ↓ Allowed HTML tags: a href hrefing tile target class="> <er> • Allowed HTML tags: a href hrefing tile target class="> <er> <er> • Allowed HTML tags: a href hrefing tile target class="> <er> <er> • Allowed HTML tags: a href hrefing tile target class="> <er> <er> • Allowed HTML tags: a href hrefing tile target class="> <er> <er> • Allowed HTML tags: a href hrefing tile target class="> <er> <er> • You can align images (data=align="centes"), but also videos, blockquotes, and so on. description * B I <t< td=""><td>Name of the Font Awesome Icon. See the Font Awesome icon list for valid icon names, or begin typing for an autocomple ADDITIONAL FONT AWESOME SETTINGS</td></t<></er></er></er></er></er></er></er></er></er></er></er>	Name of the Font Awesome Icon. See the Font Awesome icon list for valid icon names, or begin typing for an autocomple ADDITIONAL FONT AWESOME SETTINGS
ADDITIONAL FONT AWESOME SETTINGS title * You have different services included Text format Filtered HTML ↓ Allowed HTML tags: <cite> <blockquote cite> <code> <ul type> <dd><dd / dt2 id> <h3 id> <h4 id> <h5 id> <h6 id> <u> <go > <</td><td>ADDITIONAL FONT AWESOME SETTINGS</td></tr><tr><td>tide * You have different services included Text format Filtered HTML ↓ Allowed HTML tags: <a href hreflang tile target class=" href="" hreflang="" target="" title=""><cm><cite><blockquote cite=""><code><ul type="">< cd</code></blockquote></cite></cm> • Allowed HTML tags: <a *="" <="" @="" @<="" also="" and="" b="" blockquotes,="" but="" center"),="" class="><code><ul type> • Vau can align images (data=align=" description="" href="" hreflang="" i="" on.="" s="" so="" target="" td="" tile="" u="" videos,="" x*=""> because we support small business	
You have different services included Text format Filtered HTML tag: • Allowed HTML tag: • You can align images (data=align="center"), but also videos, blockquotes, and so on. description * B I U S x* • S x* I I_k • Because we support small business	title *
Text format Filtered HTML ↓ • Allowed HTML tags: <cite> <blockquote cite> <code> <ul type> <</td> <dd> <hild <hili <hild <hili <hili <hild <hild <hild <hild <hili <hild <hild <h</td><td>You have different services included</td></tr><tr><td>B I U S x<sup>a</sup> I<sub>x</sub> ∞ ∞
because we support small business</td><td> Allowed HTML tags: <a href hrefang title target class=" href="" hreflang="" target="" tile=""> < < < < <a href=" <a <a="" href="</td">	
because we support small business	B I U S x² I, ∞ ∞
	because we support small business



c. « Find out more » Link



d. Set the segment where the paragraph will be displayed

Default Segment *	
Small business	•

8. Set the Partner Id for the API Webstore

▼ API WEBSTORE		
Partner id		
61		
The partner id used to webstore api		

9. Set the « Offer Services »

a. Services Pack

▼ OFFER SERVICES *
Site offer pack rule *
Management by site 🔹
Choose how to configure service pack

- Management by site : the services pack will be managed for the whole site
- Management by category : the services pack will be managed for each type of categories
- Management by offer : the services pack will be managed directly in each offer with the price matrix
 - b. Services displayed in the tunnel (step 2)



- Services pack : all the services will be displayed under a table to allow comparison
- Services list : if there are no services pack, the services will be displayed the one above the others



c. Set the included services (will be displayed in each offer detail) Can be done only after create the services taxonomy

Offer included services				
Offer services by offer type				
Language				
English				
The language this paragraph will be displayed for, leave empty not to filter.				
Offer type				
LIR-Cars 👻				
Services				
Offer service item Offer service *				
LTR 👻 24/7 Driver Support 👻				
Offer service item				
Offer service *				
LTR V Fixed Monthly Payments				
Add Offer service item				
Add Offer services by offer type				

- 1. Set language
- 2. Choose offer type
- 3. Add Services

d. Set Price for Services Pack if « Management by site » is choosen Can be done only after create the services pack taxonomy

Offer services pack by offer type	
anguage	
English 👻	
he language this paragraph will be displayed for, leave empty not to filter.	
Offer type	
LTR - Cars 🔻	
Offer services packs *	
4. Offer service pack	
- Offer Service pack	
Price *	
0	
Selected by default	
Service pack	
Starter (12691)	0
Offer service pack	
Deiee *	
50 A	
30	
Selected by default	
Service pack	
Driver (12692)	0
Offer service pack	
Price *	
100	
Selected by default	
Service pack	
Pro (12693)	0
	-

- 1. Set language
- 2. Choose offer type
- 3. Add Services Pack
- 4. Set Price
- 5. Select if default pack or not
- 6. Choose Service Pack

10. Set the « Request form » in the step 4 of the tunnel

Request quote form				
Contact (contact)	0			
► REQUEST QUOTE FORM SETTINGS				



11. Set the « Result list / Offer list »

Career	Offer tool Microsite	Newsroom	Offer tool Apollo *	Brand page *		
The Offe	The brand page content					
https://cms-mig.pre.arval.com/apo3 Long term need for more than 2 years (1048) O						
This must be an internal path such as <i>/node/add</i> . You can also start typing the title of a piece of content to select it. Enter <i><front></front></i> to link to the front page.						
Cont No F A	Content No Paragraphe added yet. Add Brand list					



STEP 5 : Technical

1. Set the domain, prefix and currency

÷	cms-mig.pre.arval.com			
÷				
The DNS	hostnames.			
Add	another item			
Prefix				
ароЗ				
The alias prefix				
Google	Analytics ID			
Google tag manager ID				
Currenc				
	y			

2. Set Country and language

Be aware if the values are modified after the site has been created, all content will be lost.

France v			
▼ LANGUAGES	*		
Usable langua	es *		
Chinese (sir	nplified script)		
Czech			
Danish			
Dutch			
Dutch (Belg	um)		
English			
English (Au	tria)		
English (Be	gium)		
English (Bra	zil)		
English (Chi	na)		
	-h Demuklia)		

STEP 6 : Published





Taxonomy Creation

LTR - Offer services

1. Go to « Structure taxonomy »



2. Select « LTR - Offer services » and click on right « List Terms »

_				
	🕂 LTR - Offer Mileage	List terms	•	
	✤ LTR - Offer services	List terms	•	
	LTR - Offer services pack	List terms	•	1

3. « Add term »





4. Set the term

Site *	
Apollo Test Sprint 3	1. Set Site
Name *	
24/7 Driver Support	2. Set little
	2 Sat Ican from fant awacama (if needed)
user	5. Set icon noni ioni awesonie (ii needed)
Name of the Font Awesome Icon. See the Font Awesome Icon list for valid Icon names, or begin typing for an autocomplete list.	A Set Description (will be displayed in offer detail)
	4. Set Description (will be displayed in one) detail
	5. Select offer type
Description	
B I U S x' I _x co m	6. Save
We're svailable 24 hours a day, seven days a week, 385 days a year to bein keen you on the road, and our onlin	
Were available in many a day, beven days a meen, doo days a year to hep neep you on the road, and our only	
Text format Filtered HTML •	
Language	
English 👻	
The term language code.	
Generate automatic URL alias Incherk this to create a custom alias below. Configure URL alias patterns	
URL alias	
/247-driver-support	
Specify an alternative path by which this data can be accessed. For example, type "/about" when writing an about page.	
Marketing label	
Offer type	
LTR - Cars 🔻	
► RELATIONS	
Save Delete	

LTR - Offer Services Pack

1. Select « LTR - Offer services pack » and click on right « List Terms »

The Other Services	List terms 👻
LTR - Offer services pack	List terms 🝷
	List terms

2. « Add term »





3. Set the term

Site *
Apollo Test Sprint 3
Name*
Characters: 7
Starter
Description
BIUS x' J. @ 🧠
Text format Filtered HTML 🔻
+ ICON *
Language
English 🔻
The term language code.
Marketing label
Name teaser
Sandrae *
-24/7 Driver Support
-Fixed Monthly Payments
-Flexible Contract terms
-Free Nationwide Delivery
-Maintenance Package (optional)
-Total Care Package (optional)
LTR
MTR
Concerns automatic UDL alian
Generate automatic ORL alias Uncheck this to create a custom alias below. Configure UBL alias patterns.
URL alias
/starter
Specify an alternative path by which this data can be accessed. For example, type "/about" when writing an about page.
· · · · · ·
► RELATIONS
Save Delete

- 1. Set Site
- 2. Set Title
- 3. Set Icon from font awesome (if needed)
- 4. Choose individuals services
- 5. Save



Taxonomy witch are automaticaly created

Theses taxonomies are automatically created when an offer is imported from the webstore.

- Apollo Brand model
- LTR Fuel type
- LTR Offer transmission type
- LTR Option/Category-topic
- LTR Vehicle category

Others taxonomies to set to configure an offer

- LTR Marketing flag
- LTR Offer Duration
- LTR Offer Mileage
- LTR Downpayment

Others taxonomies to create corporate content

- Corporate services