


# Create a Webform

- How to create a webform?
  - Webform tab
    - View
    - Test
    - Results
    - Build
    - Settings
    - Export
    - Translate
    - Clone
  - Add elements (fields)
    - Text field
    - Text area
    - Email
    - Number
    - Telephone
    - Document file
    - Radios
    - Select
    - Check box
    - Submit button
    - General tab of elements
  - Link a recipient email to the webform
    - Single email
    - Multiple email
    - Salesforce
    - FTP
  - Modify the email paramaters (User data)
  - Conditional webform
  - Multi-pages webform
  - Multiple element in a line
- Modify the confirmation page
  - Page
  - Inline
  - Message
  - Modal
  - URL
  - URL with message
  - None

## How to create a webform?

- URL: /admin/structure/webform



Then click on « Add webform »

## Add webform

Fill all the necessary fields:

The screenshot shows the 'Add webform' form with the following fields and callouts:

- 1**: Site (dropdown menu, value: the-master)
- 2**: Title (text input, value: Test - DTW)
- 3**: Administrative description (rich text editor, value: Training webform)
- 4**: Category (dropdown menu, value: Other...)
- 5**: Status (radio buttons, 'Open' is selected)

Other visible elements include a 'Machine name' field with value 'test\_dtw', a 'Save' button, and a close button in the top right corner.

Number	Title	Description
1	Site	Select the desire country you are working on Example: arval_br
2	Title	Title of the webform (Not visible in front-office)
3	Administrative description	Description of the webform (Not visible in front-office)
4	Category	<b>!! Don't use !!</b>
5	Status	Always choose "Open"

## Webform tab

### View

Preview of the webform (Empty)

**Subject \***

Subject

**First Name \***

Name

**Last Name \***

Surname

**E-mail address \***

E-mail

**Phone number \***

**Comments**

How would you like us to contact you?

- None -

**Privacy Statement \***  
I confirm that I have read and understood Arval's [privacy statement](#).

We will contact you within three working days.

## Test

Filled automatically the fields to send a test quickly

**Subject \***

Loremipsum

**First Name \***

Dixisset

**Last Name \***

Oratione

**E-mail address \***

test@test.com

**Phone number \***

**Comments**

Huius, Lyco, oratione locuples, rebus ipsis ielunior. Duo Reges: constructio interrete. Sed haec in pueris; Sed utrum hortandus es nobis, Luci, inquit, an etiam tua spo fortasse. Paulum. cum reoem Persem cantum adduceret. eodem flumine invecio? Et ille ridens: Video. inquit. quid aras:

How would you like us to contact you?

By e-mail

**Privacy Statement \***  
I confirm that I have read and understood Arval's [privacy statement](#).

We will contact you within three working days.

## Results

Show all the submissions of the webform

View Test **Results** Build Settings Translate Clone

Submissions Download Clear

Home » Administration » Structure » Webforms » Contact us page

The Submissions page displays a customizable overview of a webform's submissions. Submissions can be reviewed, updated, flagged and/or annotated. [Watch video](#)

▼ FILTER SUBMISSIONS

Filter by submitted data and/or notes Filter by submitted to All [2] [Filter](#)

Customize

2 submissions

#	Created	Submitted to	User	Language	IP address	Subject	First Name	Last Name	E-mail address	Phone number
20	Fri 26/06/2020 - 09:58	Smooth and intuitive mobility solutions tailored to your needs > ...	apetit	English	10.255.0.6	DTW - Test	DTW - Test	DTW - Test	apetit@datawvords.com	azaz
19	Thu 11/06/2020 - 13:19		apetit	English	10.255.0.6	Oratione	Lorem ipsum	Dixisset	example@example.com	+1 718-555-6666

## Build

Use to add elements (Fields) in the webform

View Test Results **Build** Settings Translate Clone

Home » Administration » Structure » Webforms

The Elements page allows users to add, update, duplicate and delete elements and wizard pages. [Watch video](#)

[Add element](#) [Add page](#) [Add layout](#)

Title	Key
✚ Subject	subject
✚ First Name	name
✚ Last Name	surname
✚ E-mail address	e_mail
✚ Phone number	phone_number_
✚ Comments	comments
✚ How would you like us to contact you?	how_would_you_like_us_to_contact_you_
✚ Privacy Statement	privacy_statement
✚ We will contact you within three working days.	thank_you_for_expressing_your_complaint_you_will_receive_a_copy_
Submit button(s)	actions

[Save elements](#) [Reset](#)

## Settings

Settings tab have multiple options

View Test Results Build **Settings** Translate Clone

[General](#) [Form](#) [Submissions](#) [Confirmation](#) [Salesforce](#) [Emails / Handlers](#) [Access](#)

Title	Description
General	Only use to edit webform name
Form	Not used

Submissions	Not used
Confirmation	Use to edit confirmation page
Saleforce	Not used
Emails / Handlers	Use to edit email recipient
Access	Not used

## General

Use to change the webform name

[General](#) [Form](#) [Submissions](#) [Confirmation](#) [Sales](#)

[Home](#) » [Administration](#) » [Structure](#) » [Webforms](#) » [Contact us page](#)

The General settings page allows a webform's administrative information, paths,

Site \*

CORP\_the-master ▼

▼ GENERAL SETTINGS

ID  
contact\_us\_page\_

Title \*

Administrative description

Format ▼ | **B** *I*  $x_2$   $x^2$  |  $\Omega$  | | | |

## Confirmation

Use to edit confirmation message and back button after sending the webform.

▼ CONFIRMATION SETTINGS

Confirmation title <sup>?</sup>

Confirmation message <sup>?</sup>

Format - | **B** *I*

Thanks for your trust !

[Browse available tokens.](#)

► CONFIRMATION ATTRIBUTES

▼ CONFIRMATION BACK LINK


Display back to webform link

Confirmation back link label <sup>?</sup>

► CONFIRMATION BACK LINK ATTRIBUTES

[Browse available tokens.](#)

**Save**



## Email / Handlers

Details here [Link a recipient email to the webform](#)

- General
- Form
- Submissions
- Confirmation
- Salesforce
- Emails / Handlers

[Home](#) » [Administration](#) » [Structure](#) » [Webforms](#)

The Emails/Handlers page allows additional actions and behaviors to be processed when a webform or submission is external applications and send notifications & confirmations. [Watch video](#)

- [Add email](#)
- [Add handler](#)

## Export

Use to export the webform (code)

Home » Administration » Structure » Webforms

The Config Export form allows developers to quickly export a single webform's YAMI (any personal information) to a new ticket in the Webform module's issue queue.

Here is your webform's configuration: ?

```
1 uuid: 836d3635-5f23-4398-8ef3-85dadb438ee9
2 langcode: en
3 status: open
4 dependencies:
5   module:
6     - arval_global
7 third_party_settings:
8   arval_global:
9     site: '123'
10 open: null
11 close: null
12 weight: 0
13 uid: 6025
14 template: false
15 archive: false
16 id: test_dtw
17 title: 'Test - DTW'
18 description: 'Training webform'
19 category: ''
20 elements: |
21   name:
```

### Translate

Only for multilanguages website.

⚠ It is recommended to re-create the webform in the desire language and not translate it or many options will not be available ⚠

Translate the existing webform

Translations for *Contact us page webform*

View Test Results Build Settings **Translate** Clone

Home » Administration » Structure » Webforms » Contact us page

The Translate page allows a webform's configuration and elements to be translated into multiple languages. [Watch video](#)

Language	Operations
Chinese (simplified script)	<input type="button" value="Add"/>
Czech	<input type="button" value="Add"/>
Danish	<input type="button" value="Add"/>
Dutch	<input type="button" value="Add"/>

Add the desire language

English (Switzerland)

Left is the original language. Right is the text to be translate  
Key starting with "#" must not be translated.

Home

Title

Training webform

Administrative description

(Empty)

Category

(Empty)

Elements (YAML)

```
1 name:
2 '#title': Name
3 '#description': test
4 '#placeholder': Henry
5 '#required_error': 'You haven't filled this field'
6 select_your_option_:
7 '#title': 'Select your option:'
8 '#description': 'description test'
9 '#options':
10 'Option 1': 'Option 1'
11 'Option 2': 'Option 2'
12 Other: Other
13 other:
14 '#title': Other
15 upload:
16 '#title': Upload
17 privacy_policy:
18 '#title': 'Privacy policy'
19 '#description': 'Click here to accept the <a href="/node/42153">terms</a>'
20 actions:
21 '#title': 'Submit button(s)'
22 '#submit_label': 'Let's go !'
```

Title

Training webform

Administrative description

Category

Elements (YAML)

```
1 name:
2 '#title': Nom
3 '#description': test
4 '#placeholder': Henry
5 '#required_error': 'Vous n'avez pas remplis ce champs'
6 select_your_option_:
7 '#title': 'Selectionnez votre option:'
8 '#description': 'description test'
9 '#options':
10 'Option 1': 'Option 1'
11 'Option 2': 'Option 2'
12 Other: Other
13 other:
14 '#title': Autre
15 upload:
16 '#title': Télécharger
17 privacy_policy:
18 '#title': 'Notice de confidentialité'
19 '#description': 'Cliquez ici pour accepter les <a href="/node/42153">termes</a>'
20 actions:
21 '#title': 'Submit button(s)'
22 '#submit_label': 'Je valide le formulaire !'
```

Please note: Custom properties will be automatically removed.

Confirmation message

Thanks you ! Webform well send !

Confirmation back link label

Go back on the form

Confirmation message

Merci ! Le formulaire est envoyé !

Confirmation back link label

Retourner sur le formulaire

Email and subject option are in the "Email mapping" tab.

▼ EMAIL MAPPING	
Label	Label
Email	<input type="text" value="Email"/>
Notes	Notes
(Empty)	<input type="text"/>
▼ EMAIL	
Email from name	Email from name
_default	<input type="text" value="_default"/>
Email subject	Email subject
HR	<input type="text" value="HR"/>
Email body	Email body
_default	<input type="text" value="_default"/>
Reply to email	Reply to email
(Empty)	<input type="text"/>
Return path email	Return path email
(Empty)	<input type="text"/>
Sender name	Sender name
(Empty)	<input type="text"/>

## Clone

Use to clone a webform in the same back-office.



Home

New Label \*

Clone

Abort

## Add elements (fields)

- Actually the webform is empty. We need to add elements (Fields)
- Click on **Add elements** to open the list

The Elements page allows users to add, update, duplicate :

**Add element** Add page Add layout

Title	Key
-------	-----

Please add elements to this webform.

Save elements Reset

- You can hover the interrogation dot to have further details on the field behavior.
- A preview of the field is also available
- Here we create a simple text field by clicking on **Add element**

▼ BASIC ELEMENTS

Type	Preview	
Checkbox ?	<input type="checkbox"/> Checkbox	<a href="#">Add element</a>
Hidden ?	Hidden element (less secure, changeable via JavaScript)	<a href="#">Add element</a>
Password ?	<input type="password"/>	<a href="#">Add element</a>
Textarea ?	<input type="text"/>	<a href="#">Add element</a>
Text field ?	<input type="text"/>	<a href="#">Add element</a>

**Text field**  
Provides a form element for input of a single-line text.

▼ ADVANCED ELEMENTS

### 3) Elements global list

- An element exist for each type of fields. Here is a sample list for the usual fields:

#### Text field

Use for textual field like name, lastname, company etc...

Text field ?

**Text field**  
Provides a form element for input of a single-line text.

▼ ADVANCED ELEMENTS

Last name \*

#### Text area

Use for multiple line text field as a comment or a suggestion.

Textarea ?

**Textarea**  
Provides a form element for input of multiple-line text.

Text field ?

Please mention these people and their actions \*

## Email

Use to set an email

Email ?

Email

Provides a form element for entering an email address.

E-mail \*

## Number

Use to set numbers cracter

Number ?

Number

Provides a form element for numeric input, with special numeric validation.

VAT number

## Telephone

Use to set a phone number


Telephone ?

Telephone

Provides a form element for entering a telephone number.

**Specificities:**

You can choose to put a default country phone number




TELEPHONE SETTINGS

Enhance support for international phone numbers ?

Initial country

- None -




Telefoonnummer \*

+1 201-555-0123

- United States +1
- United Kingdom +44
- Afghanistan (افغانستان) +93
- Albania (Shqipëri) +355
- Algeria (الجزائر) +213

Check the "Pattern" box and put this code to allow only number and "+" character:

- $^[0-9]*$$  = Numbers only
- $^[+0-9_-\ \backslash()]*$$  = Numbers or dash




Pattern ?

Pattern regular expression ? \*

$^[+0-9_-\ \backslash()]*$$

**Document file**

Use to allow file import



Document file ?

File ?

**Document file**  
Provides a form element for uploading and saving a document.

**Specificities:**

- 1) **Maximum size** of document to set, **extensions** allowed, **rename files** to avoid error

**FILE SETTINGS**

Upload destination ? \*

Private files

Maximum file size ?

MB (Max: 10 MB)

Allowed file extensions ?

Rename files ?

**RECEIPT #4**

Choisir un fichier Aucun fichier choisi

One file only.  
5 MB limit.

Allowed types: gif jpg jpeg png bmp tif pdf.

Aucun fichier choisi

2) Anytime this element is used. The **email handlers** must have the following option checked.

▼ ATTACHMENTS

Include files as attachments ?

## Radios

Use to choose one option. Mainly use for gender

Radios ?

One  Two  Three

Radios ?

One  Two  Three  Other...

**Radios**  
Provides a form element for a set of radio buttons.

Gender ①

Mr ②

Mrs ③

**Specificities:**

General Conditions Advanced Access

**ELEMENT SETTINGS**

Type  
Radios

Title ? \* **1**  
  
 Key: gender

**ELEMENT OPTIONS**

Options \*

Option value <span>?</span>	Option text / description <span>?</span>
<input type="text" value="Mr"/> <b>2</b>	<input type="text" value="Mr"/> <input type="text" value="Enter description..."/>
<input type="text" value="Mrs"/> <b>3</b>	<input type="text" value="Mrs"/> <input type="text" value="Enter description..."/>
<input type="text" value="Enter value..."/>	<input type="text" value="Enter text..."/> <input type="text" value="Enter description..."/>

more options Show ro

**Select**

Use for drop-down list. Also use for [conditional form](#)

Select ?

Select ?

Table s

**Select**  
 Provides a form element for a drop-down menu or scrolling selection box.

### Your relationship with Arval

- None -

- None -

Arval driver

Fleet manager

Business owner

Potential customer

Press

### Check box

Use mainly for Legal acceptance

Checkbox ?	Add element	
Hidden ?	Checkbox Provides a form element for a single checkbox.	Add element

I confirm I have read the **Arval Data Protection Notice.** \*

### Submit button

Submit button is set by default when building a form.  
Click on "Edit" to modify the button label

+	Submit button(s)	actions	Submit button(s)	Edit	▼
---	------------------	---------	------------------	------	---

- Then modify the **Submit button label**

## Add Submit button(s) element

General Conditions Ad

▼ SUBMIT BUTTON

Hide submit button

Submit button label ?

Envoyer

### General tab of elements

#### Element settings

General Conditions Advanced Access Exp

ELEMENT SETTINGS

Type  
Text field

Title ? \* 1

Name

Key: name\_tes\_02 2

Allowed number of values

Limited 1

Limited

Unlimited 3

Number	Title	Description
1	Title	Name of the field
2	Key	<b>⚠ For Offers webforms only ⚠</b> Some fields have they're own key and must be edit when creating the fields. Please refer to the excel document provided for offers webform.
3	Number of values	You can limit the value number for this element and define the maximum number of "text field" you want to put available for the user. By default you will have "limited 1".



Name

1

## Element description/Help/More

▼ ELEMENT DESCRIPTION/HELP/MORE

Description ? 1

Format ▾ | **B** *I*  $x_2$   $x^2$  |  $\Omega$  | | | | |

Source |

▼ HELP ?

Help title ? 2

Help text ? 3

Format ▾ | **B** *I*  $x_2$   $x^2$  |  $\Omega$  | |

| | Source |

▼ MORE ?

More title ? 4

More text ? 5

Format ▾ | **B** *I*  $x_2$   $x^2$  |  $\Omega$  | |

| | Source |

Number	Title	Description
1	Description	Description of the field
2	Help title	Bubble title with indication on how to fill the field
3	Help text	Bubble description with indication on how to fill the field

4	More title	Additional description title
5	More text	Additional description text

Name ? \*

Hen

**Name information** 1

Only provide your lastname 2

Name is use to identify you 3

▼ What is your name for? 4

To identify you 5

### Form display

▼ FORM DISPLAY

Title display ? 1    Description display ? 2    Help display ? 3

- Default -    - Default -    - Default -

Field prefix ? 4    Field suffix ? 5

Minlength ? 6    Maxlength ? 7

Size ? 8

Placeholder ? 9

Autocomplete ? 10

Input masks ? 11

Input hiding ? 12

Disabled ? 13

Readonly ? 14

Prepopulate ? 15

Number	Title	Description
1	Title display	Defined the position of the title field
2	Description display	Defined the position of the description field

3	Help display	Defined the position of the help fields
4	Field prefix	Don't use
5	Field suffix	Don't use
6	Minlength	Defined the minimum length of the text field
7	Maxlength	Defined the maximum length of the text field
8	Size	Don't use
9	Placeholder	The placeholder will be shown in the element until the user starts entering a value.
10	Autocomplete	Enable the autocompletion of the field
11	Input masks	Ensures a predefined format. <b>Not working for letters only.</b>
12	Input hiding	Hides the user entry
13	Disabled	Makes this element non-editable with the user entry
14	Readonly	Makes this element non-editable with the user entry
15	Prepopulate	Don't use

## Form validation

**▼ FORM VALIDATION**

Required ? **1**

Required message ?

Required field !

Unique ? **2**

Pattern ? **3**

Counter ? **4**

- None - ▼

Number	Title	Description
1	Required	Check this option if the user must enter a value.
2	Unique	Don't use
3	Pattern	Don't use
4	Counter - None	Don't use

**Name \***

?

apetit

datawords\_achaar

DATAWORDS TEAM

Required field !

## Encryption

Don't use

▼ ENCRYPTION

Encrypt this field's value ?

## Condition tab

Details here [conditional webform](#)

General **Conditions** Advanced Access Expand a

---

CONDITIONAL LOGIC

State	Element	Trigger/Value
- Select - ▼	if All ▼ of the following is met:	+ -
	- Select - ▼	- Select - ▼ + -

Add another state

Clear value(s) when hidden ?

## Advanced tab

Don't use

General

Conditions

Advanced

Access

▼ DEFAULT VALUE

Default value ?

Set default value

**Access tab**

**Don't use**

General

Conditions

Advanced

Access

Expand

▼ CREATE SUBMISSION ?

Roles

- Utilisateur anonyme
- Utilisateur authentifié
- Webmaster
- Master
- Administrator

Users

Permissions

Link a recipient email to the webform

**Single email**

When you are on the webform you want to edit go here:

# 2019 EUROPEAN FLEET BAROMETER

View Test Results Build **Settings** Export Translate Clone

General Form Submissions Confirmation Salesforce **Emails / Handlers** CSS / JS Access

Home » Administration » Structure » Webforms » 2019 EUROPEAN FLEET BAROMETER

The Emails/Handlers page allows additional actions and behaviors to be processed when a webform or submission is created, updated, or deleted. H

**Add email**

Add handler

Then choose a customize email to add and insert the email:

▼ SEND TO

To email \*

[site:mail]

- Select -

**Custom To email address...**

Default

[site:mail]

Elements

- Name (name)
- Surname (surname)
- Email (email)

Other

- Site email address
- Current user email address [Authenticated only]
- Webform author email address
- Webform submission owner email address [Authenticated only]

You can put multiple email separate by semicolons.  
You can also configure CC email for the webform by the same way.

▼ SEND TO

To email \*

Custom To email address...

datawords@datawords.com;datawords2@datawords.com

Multiple email addresses may be separated by commas.

CC email

- None -

## Multiple email

You must choose on the list one of the **Option** elements:

**Add Email handler** [Close]

General Conditions Advanced Expand all

Sends a webform submission via an email.

**GENERAL SETTINGS**

Title \*  
Email Machine  
name: email [Edit]

▼ SEND TO

To email \*  
[site:mail] ▼

- Select -
- Custom To email address...
- Default
- [site:mail]
- Elements
- Subject (subject)
- First Name (name)
- Last Name (surname)
- E-mail address (e\_mail)
- Options**
- How would you like us to contact you? (how\_would\_you\_like\_us\_to\_contact\_you\_
- Other
- Site email address
- Current user email address [Authenticated only]
- Webform author email address
- Webform submission owner email address [Authenticated only]

▼ SEND FROM

Then each option of the select element will appear with a specific email field:

▼ SEND TO

To email \*

How would you like us to contact you? (how\_would\_you\_like\_us\_to\_contact▼)

To email options ? \*

Option →	Email addresses
By phone →	example@example.com, [site:mail]
By e-mail →	example@example.com, [site:mail]
Empty (Used when no option is selected) →	example@example.com, [site:mail]
Default (This email address will always be included) →	example@example.com, [site:mail]

## Saleforce

If you are using Saleforce always make sure that the handler "Saleforce" is set:

✚ **Saleforce**  
Sends a webform submission via salesforce.

## FTP

Submissions of webform are now stock in a FTP instead of Drupal back-office

Always make sure that the handler "Privacy" is set on all your webforms and **in the last position**

✚ **Privacy**  
Ensure submissions are not kept in database. Must be set as the last handler.

## Modify the email paramaters (User data)

Click on "Edit" on a added email

✚ <b>Formulario Motortrade</b> Sends a webform submission via an email.	correo_electronico	Para: ventas@autocargo.cl De: [site:name] <[site:mail]> Asunto: Formulario Motortrade Settings: HTML Sent when: Completado	Activado	Editar ▼
--	--------------------	--	----------	----------



Then modify the following sections:

▼ SEND FROM

From email \* **1**

Custom From email address... ▼

arval\_relsa@arval.com

Multiple email addresses may be separated by commas.

From name **2**

Custom From name... ▼

Aarval Relsa Chile

[Browse available tokens.](#) ?

▼ MESSAGE

Subject **3**

Custom subject... ▼



HR Form

Body \* **4**

Default ▼

```
1 <p>Submitted on [webform_submission:created]</p>
2 <p>Submitted by: [webform_submission:user]</p>
3 <p>Submitted values are:</p>
4 [webform_submission:values]
5
```

Number	Title	Description
<b>1</b>	From email	Select "Custom" to personalize the from email
<b>2</b>	From name	Select "Custom" to personalize the email name
<b>3</b>	Subject	Select "Custom" to personalize the email subject
<b>4</b>	Body	<b>Always select "Default"</b> . Without it the date will not be display.



## Conditional webform

A conditional form is use to make appear or disappear some fields when an option is set.

Example: We will make appear a textfield "Other" if the select option "Andere" is choose on the "Relatie met Arval" field

The image shows a screenshot of a webform. On the left, there is a dropdown menu titled "Relatie met Arval" with options: "- Geen -", "Arval bestuurder", "Vlootbeheerder", "Bedrijfsleider", "Potentiële klant", and "Andere". The "Andere" option is highlighted with a red box. On the right, there is a form section titled "Relatie met Arval" with a dropdown menu showing "- Geen -". Below this, there is a textfield labeled "Aanspreking" with a red box around it. Underneath the textfield, there are two radio buttons: "Mevr" and "Mr".

- Each elements must be create then we will put **Conditions** on the element to make appear
- On the Properties window of the element click on **Conditions** and fill the **conditional** logic
  - **State** = visible (We want it visible when...)
  - **If** = When many logic you can set **one of those** or **All** conditions are filled
  - Then select the element that will decide if it's visible or not
    - Here it's "Relatie met Arval"
  - The **value** we want is "When the value of Relatie met Arval" is Andere"

## Edit Other element

General

**Conditions**

Advanced

Access

Expand all

### CONDITIONAL LOGIC

State	Element	Trigger/Value
Visible ▼	if All ▼ of the following is met:	+ ×
	Relatie met Arval [Select] ▼	Value is ▼
		Andere + ×
<input type="button" value="Add another state"/>		
<input checked="" type="checkbox"/> Clear value(s) when hidden ?		

- When this option is choose on the form then the "Other" field will appear

**Relatie met Arval**

Andere

**Other**

Aanspreking

Mevr

Mr


## Multi-pages webform

A webform can be display as multiple pages



Name \*

When creating the webform click on "Add page":



Fill the name and "Next & "Previous" CTA button then save:

Title? \*  
Page 01  
Key: page\_01

---

**PAGE SETTINGS**

Previous page button label?  
Previous

Next page button label?  
Next

Click on add element in your "Wizard page" and add the element you want.

Title	Key
+ Page 01	page_01
<input type="button" value="Add element"/>	

After that click on "Add page" to build the second page of your webform:

Title	Key
+ Page 01	page_01
<input type="button" value="Add element"/>	
+ Name	name
+ First name	first_name
Submit button(s)	actions

Add the element and save. The webform now has two pages.

Page 01

Page 02

Complete

Name \*

NEXT PAGE >

## Multiple element in a line

Multiple elements can be display in one row

First name

Last name

Company name

Comments

Gender

Mrs

Mr

I have read and accept the privacy notice

I accept to receive marketing informations

SUBMIT

When creating the webform click on "Add layout

Add element

Add page

Add layout

Click on add element in your "flexbox" and add the element you want.

+ [flexbox]

Add element

flexbox

Note that elements are shift to the right under the flexbox:

Title		Key
+ [flexbox]	Add element	flexbox
+ First name		first_name
+ Last name		last_name

You can create an element out of the flexbox to keep the normal display:

[flexbox] Add element

First name

Last name

Company name

**First name** **Last name**

**Company name**

And create a new layout (Flexbox) to put elements in the same row:

[flexbox\_01] Add element

I have read and accept the privacy notice

I accept to receive marketing informations

**First name** **Last name**

**Company name**

**Comments**

Gender

Mrs

Mr

I have read and accept the privacy notice

I accept to receive marketing informations

**SUBMIT**

## Modify the confirmation page


By default the confirmation page look like this:

New submission added to Test - DTW.

[Back to form](#)

You can modify it by going to:

Settings => Confirmation



Then select the confirmation type you desire:


#### CONFIRMATION TYPE

##### Confirmation type

- Page (redirects to new page and displays the confirmation message)
- Inline (reloads the current page and replaces the webform with the confirmation message)
- Message (reloads the current page/form and displays the confirmation message at the top of the page)
- Modal (reloads the current page/form and displays the confirmation message in a modal dialog)
- URL (redirects to a custom path or URL)
- URL with message (redirects to a custom path or URL and displays the confirmation message at the top of the page)
- None (reloads the current page and does not display a confirmation message)

## Page

Confirmation message is display in a new page.



## Inline

Confirmation message is display in the same page and replace the webform.

Home > Corporate > Test - DTW - Webform

## Test - DTW - Webform

VIEW

EDIT

DELETE

REVISIONS

CLONE

TRANSLATE

New submission added to Test - DTW - Confirmation.

[Back to form](#)

## Message

Confirmation message is display at the top of the page.

Home > Corporate > Test - DTW - Webform

New submission added to Test - DTW - Confirmation. 

## Test - DTW - Webform

VIEW

EDIT

DELETE

REVISIONS

CLONE

TRANSLATE

Name

SUBMIT

## Modal

Confirmation message is display in a popin

Home > Corporate > Test - DTW - Webform

## Test - DTW - Webform

VIEW

EDIT

DELETE

REVISIONS

CLONE

TRANSLATE

Name

SUBMIT

New submission added to Test - DTW - Confirmation. 

## URL

No confirmation message. Redirect to a new page after sending the webform.

Then you can create a full confirmation page corresponding to your webform.



## URL with message

Redirect to a new page after sending the webform and display the confirmation message

The screenshot shows a web page for 'THE MASTER Apollo website'. The navigation menu includes 'Individuals', 'Small business', 'Corporate', 'Partners', 'About Arval', 'Driver Services', and 'Fleet manager / Driver'. A secondary menu has 'Home', 'Solutions & Services', 'Our experts help you', 'Special offers', 'Newsroom', and 'Why Arval'. A green confirmation message at the top reads 'New submission added to Test - DTW - Confirmation.' Below it are buttons for 'VIEW', 'EDIT', 'DELETE', 'REVISIONS', 'CLONE', and 'TRANSLATE'. The main content area features a cityscape background with the text 'Smooth and intuitive mobility solutions tailored to your needs'.

## None

No confirmation message. The webform is reset.

The screenshot shows the same web page but with the confirmation message removed. The navigation and secondary menus are identical. The main content area now displays a webform titled 'Test - DTW - Webform'. It includes the same 'VIEW', 'EDIT', 'DELETE', 'REVISIONS', 'CLONE', and 'TRANSLATE' buttons. Below the buttons is a text input field labeled 'Name' and a 'SUBMIT' button.